



Biflux – Bottom Pour Flux

BIMAC - your source for Steelmaking and Foundry Products

Chromite Nozzle Sands
Biflow CS Series

Bitop L1 Series - Insulating
Tundish Flux

Bitop L Series -
Insulating Ladle Cover

Biflux - Bottom Pour Flux

Bislag - Synthetic Slag

Chromite Nozzle Sands -
Biflow CS/80 Series

Contact Us

Our sales team is ready to help you to determine the right product for your job.

For more information please call us:

Tel: 1 (734) 439-2478

E-mail: info@optaminerals.com

Visit: www.optaminerals.com

Biflux products are designed to provide thermal and physical protection of the ingot surface and are custom engineered for use on a wide range of steel and alloy grades.

Bimac products have a well deserved reputation for:

- High quality
- Cost effectiveness
- Reliability

If you require further information regarding our products and services, please feel free to contact our Customer Service at (734) 439-2478.

USAGE OF BIFLUX – BOTTOM POUR FLUX

Biflux is engineered for use on varying steel grades, ingot sizes, and pouring conditions.

ADVANTAGES OF BIFLUX – BOTTOM POUR FLUX

- Cost effective
- Superior surface quality
- Improved internal cleanliness

PACKAGING

Paper / Poly Bags (5 - 30 lbs.)
Hanging rope as needed
Bulk Bags or Pallet Boxes
Palletized and Shrink-wrapped

Note: MSDS and Technical Data Sheets are available upon request.